ELSEVIER

European Journal of Pharmacology 337 (1997) 339–341

ejp

Author index

Abdel-Galil, A.-G.A., see El-Mas, M.M. (337) 235
Acosta-Burruel, M., see Hawkinson, J.E. (337) 315
Aoto, N., see Sakitama, K. (337) 175
Armario, A., see Lahmame, A. (337) 115

Baba, J., see Yamashita, N. (337) 95
Barrois, R., see Muller, S. (337) 103
Beart, P.M., see Bunting, M.W. (337) 35
Beltramo, M., see Calignano, A. (337) R1
Bickel, M., see Wirth, K.J. (337) 45
Blandl, T., see Kardos, J. (337) 83
Blaskó, G., see Kardos, J. (337) 83
Bologna, E., see Leroux, P. (337) 333
Boni, C., see Fabre, V. (337) 297
Brezenoff, H.E., see Li, J. (337) 227
Bucharles, C., see Leroux, P. (337) 333
Buéno, L., see McLean, P.G. (337) 279
Bunting, M.W., Beart, P.M. and Widdop, R.E.
Effects of the CCK_A receptor antagonists SR 27897B and PD140548 on baroreflex function in conscious rats (337) 35

Calignano, A., La Rana, G., Beltramo, M., Makriyannis, A. and Piomelli, D.
Potentiation of anandamide hypotension by the transport inhibitor, AM404 (337) R1
Candiloros, H., see Muller, S. (337) 103
Cash, D.J., see Kardos, J. (337) 83
Casu, M.A., see Weiss, F. (337) 219
Czuczwar, S.J., see Przesmycki, K. (337) 11

Daabees, T.T., see El-Mas, M.M. (337) 235
De Jong, J.W., see De Jonge, R. (337) 41
De Jonge, R., Macleod, D.C., Suryapranata, H., Van Es, G.A., Friedman, J., Serruys, P.W. and De Jong, J.W.
Effect of acadesine on myocardial ischaemia in patients with coronary artery disease (337) 41
Del Arco, C., see Lahmame, A. (337) 115
Denet, S., see Muller, S. (337) 103
Depoortere, I., see Van Assche, G. (337) 267
De Vente, J., see Prickaerts, J. (337) 125
Di Iulio, J.L., Li, C.G. and Rand, M.J.
Determination of nitric oxide synthase activity in rat, pig and rabbit prostate glands (337) 245
Di Iulio, J.L., see Najbar-Kaszkiel, A.T. (337) 251
Donner, M., see Muller, S. (337) 103
Dörnyei, G., see Kardos, J. (337) 83
Drago, F., see László, F. (337) 275
Drouin, P., see Muller, S. (337) 103
Dzieciuch, J.A., see Przesmycki, K. (337) 11
Dziedzicka-Wasylewska, M.
The effect of imipramine on the amount of mRNA coding for rat dopamine D_2 autoreceptors (337) 291

El-Gowelli, H.M., see El-Mas, M.M. (337) 235
El-Mas, M.M., Daabees, T.T., El-Gowelli, H.M. and Abdel-Galil, A.-G.A.
Enhanced endothelial nitric oxide activity contributes to the reduced responsiveness of vascular α_1-adrenoceptors following aortic baro-denervation (337) 235

Fabre, V., Boni, C., Mocaër, E., Lesourd, M., Hamon, M. and Laporte, A.-M.
[^{3}H]Alnespirone: A novel specific radioligand of 5-HT_{1A} receptors in the rat brain (337) 297
Falcón, J., Privat, K. and Ravault, J.-P.
Binding of an adenosine A_1 receptor agonist and adenosine A_1 receptor antagonist to sheep pineal membranes (337) 325
Fibiger, H.C., see Zernig, G. (337) 1
Fioramonti, J., see McLean, P.G. (337) 279
Fletcher, P.J., see Sills, T.L. (337) 161
Frantz, K.J., see Gendreau, P.L. (337) 147
Friedman, J., see De Jonge, R. (337) 41
Friese, J., Gleitz, J., Gutser, U.T., Heubach, J.F., Matthiesen, T., Wilffert, B. and Selve, N.
Aconitum sp. alkaloids: the modulation of voltage-dependent Na^+ channels, toxicity and antinociceptive properties (337) 165

Garcia-Villar, R., see McLean, P.G. (337) 279
Gariépy, J.-L., see Gendreau, P.L. (337) 147
Gendreau, P.L., Petitto, J.M., Schnauss, R., Frantz, K.J., Van Hartesveldt, C., Gariépy, J.-L. and Lewis, M.H.
Effects of the putative dopamine D_3 receptor antagonist PNU 99194A on motor behavior and emotional reactivity in C57BL/6J mice (337) 147
Gessa, G.L., see Weiss, F. (337) 219
Gleitz, J., see Friese, J. (337) 165
Günzler, V., see Wirth, K.J. (337) 45
Gutser, U.T., see Friese, J. (337) 165

Hamon, M., see Fabre, V. (337) 297
Hawcock, A.B., see Lundstrom, K. (337) 73
Hawkinson, J.E., Acosta-Burruel, M., Ta, N.D. and Wood, P.L.
Novel phosphoserine phosphatase inhibitors (337) 315
Hayashi, S., see Kitagaki, K. (337) 283
Heal, D.J., see Phillips, I. (337) 189
Heitsch, H., see Wirth, K.J. (337) 45
Heubach, J.F., see Friese, J. (337) 165
Higashi, Y., see Shinguh, Y. (337) 63
Higashiyama, K., see Kamei, J. (337) 223
Hropot, M., see Wirth, K.J. (337) 45
Hunt, T., see Ye, J.H. (337) 87

Ikezawa, K., see Matsubara, S. (337) 259
Ilyin, V.I., see Whittemore, E.R. (337) 197
Imai, K., see Shinguh, Y. (337) 63
Imperato, A., see Weiss, F. (337) 219
Inamura, N., see Shinguh, Y. (337) 63
Inoue, K., see Nakazawa, K. (337) 309
Ishikawa, M., see Sakitama, K. (337) 175

Janssens, J.J., see Van Assche, G. (337) 267

Kamei, J., Ohsawa, M., Suzuki, T. and Nagase, H.
Modification of morphine-induced place preference by diabetes (337) 137
Kamei, J., Xiao, P., Ohsawa, M., Kubo, H., Higashiyama, K., Takahashi, H., Li, J., Nagase, H. and Ohmiya, S.
Antinociceptive effects of (+)-matrine in mice (337) 223
Kaminuma, O., see Matsubara, S. (337) 259
Kankaanranta, H., see Kosonen, O. (337) 55
Kardos, J., Kovács, I., Blandl, T., Cash, D.J., Simon-Trompler, E., Luyen, N.D., Dörnyei, G., Simonyi, M., Blaskó, G. and Szántay, C.
Inhibition of γ-aminobutyric acid uptake by bicuculline analogues (337) 83
Katsuki, H., Nakanishi, C., Saito, H. and Matsuki, N.
Biphasic effect of hydrogen peroxide on field potentials in rat hippocampal slices (337) 213
Kikkawa, H., see Matsubara, S. (337) 259
Kitagaki, K., Nagai, H., Hayashi, S. and Totsuka, T.
Facilitation of apoptosis by cyclosporins A and H, but not FK506 in mouse bronchial eosinophils (337) 283
Kleinrok, Z., see Przesmycki, K. (337) 11
Konkoy, C.S., see Whittemore, E.R. (337) 197
Kosonen, O., Kankaanranta, H., Vuorinen, P. and Moilanen, E.
Inhibition of human lymphocyte proliferation by nitric oxide-releasing oxatriazole derivatives (337) 55
Kovács, I., see Kardos, J. (337) 83
Kubo, H., see Kamei, J. (337) 223
Kulkarni, S.K., see Reddy, D.S. (337) 19

Lahmame, A., Del Arco, C., Pazos, A., Yritia, M. and Armario, A.
Are Wistar-Kyoto rats a genetic animal model of depression resistant to antidepressants? (337) 115
Laporte, A.-M., see Fabre, V. (337) 297
La Rana, G., see Calignano, A. (337) R1
László, F., Varga, C., Montoneri, C. and Drago, F.
Damaging actions of testosterone on cysteamine-induced gastroduodenal ulceration and vascular leakage in the rat (337) 275
Leroux, P., Bucharles, C., Bologna, E. and Vaudry, H.
des-AA-^{1,2,5}[D-Trp^{8}, IAmp^{9}]Somatostatin-14 allows the identification of native rat somatostatin sst$_1$ receptor subtype (337) 333
Lesourd, M., see Fabre, V. (337) 297
Lewis, M.H., see Gendreau, P.L. (337) 147
Li, C.G., see Di Iulio, J.L. (337) 245
Li, C.G., see Najbar-Kaszkiel, A.T. (337) 251
Li, J., Brezenoff, H.E. and Tkacs, N.C.
Identification of pressor regions activated by central cholinergic stimulation in rat brain (337) 227
Li, J., see Kamei, J. (337) 223
Liu, M., see Nakazawa, K. (337) 309
Lundstrom, K., Hawcock, A.B., Vargas, A., Ward, P., Thomas, P. and Naylor, A.
Effect of single point mutations of the human tachykinin NK$_1$ receptor on antagonist affinity (337) 73
Luyen, N.D., see Kardos, J. (337) 83

Macleod, D.C., see De Jonge, R. (337) 41
Makriyannis, A., see Calignano, A. (337) R1
Martin, K.F., see Phillips, I. (337) 189
Mascia, M.S., see Weiss, F. (337) 219
Matsubara, S., Kikkawa, H., Kaminuma, O. and Ikezawa, K.
Angiotensin-converting enzyme inhibitors can potentiate ozone-induced airway hyperresponsiveness (337) 259
Matsuki, N., see Katsuki, H. (337) 213
Matthiesen, T., see Friese, J. (337) 165
McArdle, J.J., see Ye, J.H. (337) 87
McLean, P.G., Picard, C., Garcia-Villar, R., Moré, J., Fioramonti, J. and Buéno, L.
Effects of nematode infection on sensitivity to intestinal distension: Role of tachykinin NK$_2$ receptors (337) 279
Mocaër, E., see Fabre, V. (337) 297
Moilanen, E., see Kosonen, O. (337) 55
Montoneri, C., see László, F. (337) 275
Moré, J., see McLean, P.G. (337) 279
Mukherjee, J. and Yang, Z.-Y.
Evaluation of monoamine oxidase B inhibition by fluoxetine (Prozac): An in vitro and in vivo study (337) 111
Muller, S., Denet, S., Candiloros, H., Barrois, R., Wiernsperger, N., Donner, M. and Drouin, P.
Action of metformin on erythrocyte membrane fluidity in vitro and in vivo (337) 103

Nagai, H., see Kitagaki, K. (337) 283
Nagase, H., see Kamei, J. (337) 137
Nagase, H., see Kamei, J. (337) 223
Najbar-Kaszkiel, A.T., Di Iulio, J.L., Li, C.G. and Rand, M.J.
Characterisation of excitatory and inhibitory transmitter systems in prostate glands of rats, guinea pigs, rabbits and pigs (337) 251
Nakanishi, C., see Katsuki, H. (337) 213
Nakazawa, K., Liu, M., Inoue, K. and Ohno, Y.
pH dependence of facilitation by neurotransmitters and divalent cations of P2X$_2$ purinoceptor/channels (337) 309
Naylor, A., see Lundstrom, K. (337) 73
Neisewander, J.L., see Sussman, A.N. (337) 157

Ohmiya, S., see Kamei, J. (337) 223
Ohno, Y., see Nakazawa, K. (337) 309
Ohsawa, M., see Kamei, J. (337) 137
Ohsawa, M., see Kamei, J. (337) 223
O'Laughlin, I.A., see Zernig, G. (337) 1
Ono, T., see Shinguh, Y. (337) 63
Ozawa, Y., see Sakitama, K. (337) 175

Paronis, C.A. and Woods, J.H.
Clocinnamox dose-dependently antagonizes morphine-analgesia and [^{3}H]DAMGO binding in rats (337) 27
Pazos, A., see Lahmame, A. (337) 115
Peeters, T.L., see Van Assche, G. (337) 267
Petitto, J.M., see Gendreau, P.L. (337) 147
Phillips, I., Martin, K.F., Thompson, K.S.J. and Heal, D.J.
Weak blockade of AMPA receptor-mediated depolarisations in the rat cortical wedge by phenytoin but not lamotrigine or carbamazepine (337) 189
Picard, C., see McLean, P.G. (337) 279
Piomelli, D., see Calignano, A. (337) R1
Prickaerts, J., Steinbusch, H.W.M., Smits, J.F.M. and De Vente, J.
Possible role of nitric oxide-cyclic GMP pathway in object recognition memory: Effects of 7-nitroindazole and zaprinast (337) 125
Privat, K., see Falcón, J. (337) 325
Przesmycki, K., Dzieciuch, J.A., Czuczwar, S.J. and Kleinrok, Z.
Isobolographic analysis of interaction between intrathecal morphine and clonidine in the formalin test in rats (337) 11

Rand, M.J., see Di Iulio, J.L. (337) 245
Rand, M.J., see Najbar-Kaszkiel, A.T. (337) 251
Ravault, J.-P., see Falcón, J. (337) 325
Reddy, D.S. and Kulkarni, S.K.
Chronic neurosteroid treatment prevents the development of morphine tolerance and attenuates abstinence behavior in mice (337) 19
Ruppert, D., see Wirth, K.J. (337) 45

Saito, H., see Katsuki, H. (337) 213
Sakitama, K., Ozawa, Y., Aoto, N., Tomita, H. and Ishikawa, M.
Effects of a new centrally acting muscle relaxant, NK433 (lanperisone hydrochloride) on spinal reflexes (337) 175

Sawa, A., see Yamashita, N. (337) 95
Schnauss, R., see Gendreau, P.L. (337) 147
Schölkens, B.A., see Wirth, K.J. (337) 45
Selve, N., see Friese, J. (337) 165
Serruys, P.W., see De Jonge, R. (337) 41
Sheardown, M.J.
The triggering of spreading depression in the chick retina by nicotinic receptor agonists (337) 209
Shima, I., see Shinguh, Y. (337) 63
Shinguh, Y., Imai, K., Yamazaki, A., Inamura, N., Shima, I., Wakabayashi, A., Higashi, Y. and Ono, T.
Biochemical and pharmacological characterization of FK706, a novel elastase inhibitor (337) 63
Sills, T.L. and Fletcher, P.J.
Fluoxetine attenuates morphine-induced locomotion and blocks morphine-sensitization (337) 161
Simon-Trompler, E., see Kardos, J. (337) 83
Simonyi, M., see Kardos, J. (337) 83
Smits, J.F.M., see Prickaerts, J. (337) 125
Steinbusch, H.W.M., see Prickaerts, J. (337) 125
Suryapranata, H., see De Jonge, R. (337) 41
Sussman, A.N., Tran-Nguyen, L.T.L. and Neisewander, J.L.
Acute reserpine administration elicits long-term spontaneous oral dyskinesia (337) 157
Suzuki, T., see Kamei, J. (337) 137
Szántay, C., see Kardos, J. (337) 83

Ta, N.D., see Hawkinson, J.E. (337) 315
Takahashi, H., see Kamei, J. (337) 223
Thijs, T., see Van Assche, G. (337) 267
Thomas, P., see Lundstrom, K. (337) 73
Thompson, K.S.J., see Phillips, I. (337) 189
Tkacs, N.C., see Li, J. (337) 227
Tomita, H., see Sakitama, K. (337) 175
Totsuka, T., see Kitagaki, K. (337) 283
Tran-Nguyen, L.T.L., see Sussman, A.N. (337) 157

Van Assche, G., Depoortere, I., Thijs, T., Janssens, J.J. and Peeters, T.L.
Concentration-dependent stimulation of cholinergic motor nerves or smooth muscle by [Nle^{13}]motilin in the isolated rabbit gastric antrum (337) 267
Van Es, G.A., see De Jonge, R. (337) 41
Van Hartesveldt, C., see Gendreau, P.L. (337) 147

Varga, C., see László, F. (337) 275
Vargas, A., see Lundstrom, K. (337) 73
Vaudry, H., see Leroux, P. (337) 333
Vuorinen, P., see Kosonen, O. (337) 55

Wakabayashi, A., see Shinguh, Y. (337) 63
Ward, P., see Lundstrom, K. (337) 73
Weiss, F., Imperato, A., Casu, M.A., Mascia, M.S. and Gessa, G.L.
Opposite effects of stress on dopamine release in the limbic system of drug-naive and chronically amphetamine-treated rats (337) 219
Whittemore, E.R., Ilyin, V.I., Konkoy, C.S. and Woodward, R.M.
Subtype-selective antagonism of NMDA receptors by aylidrin (337) 197
Widdop, R.E., see Bunting, M.W. (337) 35
Wiernsperger, N., see Muller, S. (337) 103
Wilffert, B., see Friese, J. (337) 165
Wirth, K.J., Bickel, M., Hropot, M., Günzler, V., Heitsch, H., Ruppert, D. and Schölkens, B.A.
The bradykinin B_2 receptor antagonist Icatibant (HOE 140) corrects avid Na^+ retention in rats with CCl_4-induced liver cirrhosis: possible role of enhanced microvascular leakage (337) 45
Wood, P.L., see Hawkinson, J.E. (337) 315
Woods, J.H., see Paronis, C.A. (337) 27
Woodward, R.M., see Whittemore, E.R. (337) 197
Wu, W.-H., see Ye, J.H. (337) 87

Xiao, P., see Kamei, J. (337) 223

Yamashita, N., Yamauchi, M., Baba, J. and Sawa, A.
Phosphodiesterase type 4 that regulates cAMP level in cortical neurons shows high sensitivity to rolipram (337) 95
Yamauchi, M., see Yamashita, N. (337) 95
Yamazaki, A., see Shinguh, Y. (337) 63
Yang, Z.-Y., see Mukherjee, J. (337) 111
Ye, J.H., Hunt, T., Wu, W.-H. and McArdle, J.J.
Ondansetron modulates $GABA_A$ current of rat central nervous system neurons (337) 87
Yritia, M., see Lahmame, A. (337) 115

Zernig, G., O'Laughlin, I.A. and Fibiger, H.C.
Nicotine and heroin augment cocaine-induced dopamine overflow in nucleus accumbens (337) 1